


# International Journal of Dermatology

[www.intjdermatol.org](http://www.intjdermatol.org)

ISSN 0011-9059  
August 2023  
Volume 62  
Number 8



Traumatic tattoo. (a) Pigmented papule on the left knee of unknown duration on a female in her 30s. (b) Dermoscopic features showing blue gray globules, ovoid nests, and whitish background (Polarized light dermoscopy, original magnification  $\times 10$ ). (c) Reflectance confocal microscopy features showing hyperreflective structures in the dermis and absence of tumor nodules ( $500 \times 500 \mu\text{m}$ , original magnification  $\times 30$ ). (d) Histopathologic features showing foreign body granulomas with exogenous pigment (H&E,  $\times 40$ ). See article on page 1096–1097.

WILEY

Official publication of the International Society of Dermatology  
[www.intsocderm.org](http://www.intsocderm.org)  
[info@intsocderm.org](mailto:info@intsocderm.org)



Published on behalf of the International Society of Dermatology

## Editor-in-Chief

Rokea A. el-Azhary, Rochester, MN, USA

## Deputy Editor, Review Articles

Lawrence E. Gibson, Rochester, MN, USA

## Deputy Editor, Multimedia

Darius R. Mehregan, Monroe, MI, USA

## Editorial Consultant

Mauricio Gohman-Yahr, Caracas, Venezuela

## Section Editor, Case Reports

David A. Mehregan, Monroe, MI, USA

## Section Editor for Clinicopathologic Challenge

Olayemi Sokumbi, Rochester, MN, USA

## Section Editor for Dermatologic Surgery

Keyvan Nouri, Miami, FL, USA

## Section Editor for Medical Genetics and Pediatrics

Amir Horev, Beer-Sheva, Israel

## Editorial Board

Hesham M. Ahmad, Dubai, UAE

Chia-Chun Ang, Singapore

Edileia Bagatin, Sao Paulo, Brazil

Juliano Barros, Santo André, Brazil

Markus Braun Falco, Munich, Germany

Francisco Bravo, Lima, Peru

Luiz G. M. Castro, São Paulo, Brazil

Shao-Ping Chang, Taipei City, Taiwan

Sung Bin Cho, Incheon, Korea

Ellie Choi, Singapore

Susana Coimbra, Porto, Portugal

Guillaume Desoubeaux, Indre-et-Loire, France

Yahya Dowlati, Tebran, Iran

Moetaz El-Domyati, Al-Minya, Egypt

Mahira El Sayed, Cairo, Egypt

David Elpern, Williamstown, MA, USA

Hiroshi Fujiwara, Nagata, Japan

Hassan Galadari, Dubai, UAE

Ricardo Luis Galimberti, Buenos Aires, Argentina

Xing-Hua Gao, Shenyang, China

Valere Goossens, Zutendaal, Belgium

Ayman Grada, Boston, MA, USA

Evangeline Handog, Paranaque, Philippines

Roderick J. Hay, London, UK

Jasmin Jamora, Quezon City, Philippines

Hao Jiang, Peking, China

Vladimir Jurisic, Kragujevac, Serbia

Ayşe Serap Karadag, Istanbul, Turkey

Werner Kempf, Zürich, Switzerland

Abdul-Ghani Kibbi, Beirut, Lebanon

Steven Kossard, Sydney, Australia

Prasad Kumarasinghe, Nedlands, Australia

Aroonwan Lamubol, Bangkok, Thailand

Julia Lehman, Rochester, MN, USA

Pia López Jornet, Murcia, Spain

Alexander Meves, Rochester, MN, USA

Giuseppe Micali, Catania, Italy

Mojakgomo Motswaledi, Pretoria, South Africa

Diya F. Mutasim, Cincinatti, OH, USA

Naoki Oiso, Ikoma, Japan

Chinwe L. Onyekonwu, Enugu, Nigeria

Davinder Parsad, Chandigarh, India

Robert Pichler, Linz, Austria

Marcia Ramos-e-Silva, Rio de Janeiro, Brazil

Ashraf Reda, Dubai, UAE

Adam Reich, Rzeszow, Poland

Vinod Sharma, New Delhi, India

Sindhua Somindi-Damodaran, Rochester, MN, USA

Eli Sprecher, Tel Aviv, Israel

Stan Tolkachjov, Frisco, TX, USA

Ken Tomecki, Cleveland, OH, USA

Antonella Tosti, Miami, FL, USA

Secil Vural, Istanbul, Turkey

Saranya Wyles, Rochester, MN, USA

James Yiannias, Scottsdale, AZ, USA

## Residents in Training

Erin Roberts, Dallas, TX, USA

Samir Shrestha, Dharan, Nepal

## Editorial Manager

Patricia Winkels, Rochester, MN, USA

## Editorial Assistant

Melissa Malley, Rochester, MN, USA

Hobbs: Printed in the UK by Hobbs the Printers Ltd.

## Aims and scope

Published monthly, the *International Journal of Dermatology* is specifically designed to provide dermatologists around the world with a regular, up-to-date source of information on all aspects of the diagnosis and management of skin diseases. While individual issues of the journal are often created with a general theme to accommodate the coverage of topics of current concern, accepted articles regularly cover clinical trials; education; morphology; pharmacology and therapeutics; case reports, and reviews. Additional features include tropical medical reports, correspondence, and education.

The *International Journal of Dermatology* is guided by a distinguished, international editorial board and emphasizes a global approach to continuing medical education for physicians and other providers of health care with a specific interest in problems relating to the skin.

Journal content and further information – including author guidelines and submission information – can be found online at [www.intjdermatol.org](http://www.intjdermatol.org).

INTERNATIONAL JOURNAL OF DERMATOLOGY, (ISSN 0011-9059), is published monthly. US mailing agent: Mercury Media Processing, LLC 1850 Elizabeth Avenue, Suite #C, Rahway, NJ 07065 USA.

Postmaster: Send all address changes to INTERNATIONAL JOURNAL OF DERMATOLOGY, John Wiley & Sons Inc., C/O The Sheridan Press, PO Box 465, Hanover, PA 17331.

## Information for subscribers

*International Journal of Dermatology* is published in 12 issues per year. Institutional subscription prices for 2023 are: Print & Online: US\$3179 (US), US\$3708 (Rest of World), €2407 (Europe), £1895 (UK). Prices are exclusive of tax. Asia-Pacific GST, Canadian GST/HST and European VAT will be applied at the appropriate rates. For more information on current tax rates, please go to <https://onlinelibrary.wiley.com/library-info/products/price-lists/payment>. The price includes online access to the current and all online back files for previous 5 years, where available. For other pricing options, including access information and terms and conditions, please visit <https://onlinelibrary.wiley.com/library-info/products/price-lists>. Terms of use can be found here: <https://onlinelibrary.wiley.com/terms-and-conditions>.

## Delivery Terms and Legal Title

Where the subscription price includes print issues and delivery is to the recipient's address, delivery terms are Delivered at Place (DAP); the recipient is responsible for paying any import duty or taxes. Title to all issues transfers FOB our shipping point, freight prepaid.

## Claims for Missing or Damaged Print Issues

Our policy is to replace missing or damaged copies within our reasonable discretion, subject to print issue availability, and subject to the following terms: Title to all issues transfers Freight on Board ("FOB") to the address specified in the order; (1) Freight costs are prepaid by Wiley; and (2) Claims for missing or damaged copies must be submitted by the Customer or Subscription Agent within the claims window, as noted below.

## Claims window - General

Claims for missing print issues must be sent to [cs-agency@wiley.com](mailto:cs-agency@wiley.com) (and the Subscription Agent or Customer may be referred to a society) within three months of whichever of these dates is the most recent: date of subscription payment; or date of issue publication.

## Claims window - India

Both Subscription Agents and Customers in India have 48 hours after receipt of goods to confirm that all content listed on the packing label has been received. In the event of any discrepancy, SPUR Infosolutions, Wiley's delivery partner in India, needs to be notified within forty-eight (48) hours using this email address: [support@spurinfo.com](mailto:support@spurinfo.com). All claims will be checked against SPUR Infosolutions delivery records before the claim is accepted. The above terms for Wiley's claims policy otherwise apply.

**Back issues:** Single issues from current and recent volumes are available at the current single issue price from [cs-journals@wiley.com](mailto:cs-journals@wiley.com). Earlier issues may be obtained from Periodicals Service Company, 351 Fairview Avenue – Ste 300, Hudson, NY 12534, USA. Tel: +1 518 822-9300, Fax: +1 518 822-9305, Email: [psc@periodicals.com](mailto:psc@periodicals.com)

**Journal Customer Services:** For ordering information, claims and any inquiry concerning your journal subscription, please go to <https://wolsupport.wiley.com/s/contactsupport?tabset-a7d10=2> or contact your nearest office.

**Americas:** Email: [cs-journals@wiley.com](mailto:cs-journals@wiley.com); Tel: +1 877 762 2974 (Toll free in the USA & Canada)  
**Europe, Middle East & Africa:** Email: [cs-journals@wiley.com](mailto:cs-journals@wiley.com); Tel: +44 (0) 1865 778315; 0800 1800 536 (Germany)

**Germany, Austria, Switzerland, Luxembourg, Liechtenstein:** [cs-germany@wiley.com](mailto:cs-germany@wiley.com); Tel: 0800 1800 536 (Germany)

**Asia Pacific:** Email: [cs-journals@wiley.com](mailto:cs-journals@wiley.com); Tel: +65 3165 0890.

**Japan:** For Japanese speaking support, Email: [cs-japan@wiley.com](mailto:cs-japan@wiley.com); Tel: +65 6511 8010 or Tel (toll-free): 005 316 50 480.

Visit our Online Customer Help at <https://wolsupport.wiley.com/s/contactsupport?tabset-a7d10=2>

## Copyright and Photocopying

International Journal of Dermatology © 2023 International Society of Dermatology. All rights reserved. No part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to photocopy items for internal and personal use is granted by the copyright holder for libraries and other users registered with their local Reproduction Rights Organisation (RRO), e.g. Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, USA ([www.copyright.com](http://www.copyright.com)), provided the appropriate fee is paid directly to the RRO. This consent does not extend to other kinds of copying such as copying for general distribution, for advertising and promotional purposes, for creating new collective works or for resale. Special requests should be addressed to [permissions@wiley.com](mailto:permissions@wiley.com)

*International Journal of Dermatology* is published by Wiley Periodicals, Inc., 101 Station Landing, suite 200, Medford, MA, 02115.

**Production Editor:** Jayashree Babu (email: [jbabu@wiley.com](mailto:jbabu@wiley.com); [ijd@wiley.com](mailto:ijd@wiley.com)).

## Disclaimer

The Publisher, International Society of Dermatology and Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily reflect those of the Publisher, International Society of Dermatology or Editors, neither does the publication of advertisements constitute any endorsement by the Publisher, International Society of Dermatology or Editors of the products advertised. Wiley's Corporate Citizenship initiative seeks to address the environmental, social, economic, and ethical challenges faced in our business and which are important to our diverse stakeholder groups. Since launching the initiative, we have focused on sharing our content with those in need, enhancing community philanthropy, reducing our carbon impact, creating global guidelines and best practices for paper use, establishing a vendor code of ethics, and engaging our colleagues and other stakeholders in our efforts.

Follow our progress at [www.wiley.com/go/citizenship](http://www.wiley.com/go/citizenship)

This journal is available online. Visit [www.wileyonlinelibrary.com](http://www.wileyonlinelibrary.com) to search the articles and register for table of contents e-mail alerts.

Access to this journal is available free online within institutions in the developing world through the HINARI initiative with the WHO. For information, visit [www.who.int/hinari/en/](http://www.who.int/hinari/en/)

## Contents

- Updates in medicine
- 973 The use of ultrasound to detect enthesitis as a potential guide for intervention in patients with psoriasis at risk of psoriatic arthritis: a systematic review *A. Norden, A. Oulee, M. Ivanic, S. S. Javadi, G. Han and J. J. Wu*
- Reviews
- 980 Commonly used hair oils in the Black community: a narrative review in their use to treat androgenetic alopecia *J. Dinkins, C. Iwuala, L. Akintilo, N. Ugonabo, J. Shapiro, K. L. Sicco and P. Adotama*
- 986 Systematic review and estimated cost-efficacy of biologics compared with narrowband ultraviolet B light for the treatment of moderate to severe psoriasis and atopic dermatitis *T. McCoy, N. Natarelli, A. Pan, A. Shakhbazova, R. K. Sivamani and C. J. Chambers*
- 1000 Efficacy and safety of biological agents for pemphigoid: a systematic review and meta-analysis *Z. Lin, Y. Zhao, F. Li, J. Li and X. Huang*
- Clinicopathologic challenges
- 1009 Erythematous papules and umbilicated pustules on a man with proctitis *G. J. Grant, D. A. Wada and L. M. Madigan*
- 1011 Multiple ulceronecrotic nodules: An uncommon presentation *A. Deu, S. Mitra, A. Sekar and K. Vinay*
- Reports
- 1013 Basement membrane thickness helps to differentiate hypopigmented mycosis fungoides from clinical and pathological mimickers *H. A. Abdelkader*
- 1020 Detection of novel therapies using a multi-national, multi-institutional registry of cutaneous immune-related adverse events and management *R. Mital, T. S. Otto, A. Savu, E. Baumrin, A. R. Cardones, M. Carlesimo, G. Caro, A. Freitas-Martinez, J. P. Hirner, A. Markova, B. N. McLellan, A. Rossi, M. B. Sauder, L. Seminario-Vidal, V. Sibaud, D. H. Owen, B. O. Dulmage, S. T. Chen and B. H. Kaffenberger*
- 1026 Thrombocytosis and eosinophilia in 32 Chinese neonatal incontinentia pigmenti *Y. Su, H. Zhang, Z. Zou, Y. Ma, H. Zhang, J. Wen and H. Li*
- 1034 Hospital triage and skin disease: hospital outcomes are differentially associated with cutaneous morphology *C. Pettit, J. Trinidad, C. Chung, A. Patterson and B. H. Kaffenberger*
- 1040 Dermoscopic predictors of melanoma in small diameter melanocytic lesions (mini-melanoma): a retrospective multicentric study of 269 cases *G. Nazzaro, C. A. Maronese, G. Casazza, S. Giacalone, C. B. Spigariolo, G. Rocuzzo, G. Avallone, S. Guida, G. Brancaccio, P. Broganelli, G. Pellacani, F. Farnetani, E. Passoni, A. Lallas, G. Argenziano and A. V. Marzano*
- 1050 Evaluation of needling-induced autoinoculation in the management of genital warts *N. M. Z. El-fakkar, E. A. El-Khateeb and N. Gamal*
- 1056 An update on long-term outcomes of pediatric follicular mucinosis over a 20-year period: a retrospective cohort study *M. F. Jin, N. S. Ali, D. M. R. Davis, E. F. Johnson and L. E. Gibson*
- Medical genetics - report
- 1060 CDKN2A/CDK4 status in Brazilian patients meeting clinical criteria for hereditary melanoma: a cross-sectional descriptive trial *J. R. M. B. Arnaut, I. d. S. Guimarães, A. C. E. dos Santos, E. M. Rodrigues, J. R. d. S. Machado and A. C. de Melo*
- Case reports
- 1067 Subcutaneous sparganosis: a case report and literature review *X. Huang, C. Jia, Y. Zhan, S. Fu and H. Zhang*
- 1070 Malignant syphilis in a young immunocompetent patient presenting as ulceronecrotic lesions on the lower extremities *J.-V. J. Barit, S. Hiroyasu, K. Yamada and D. Tsuruta*
- 1073 Livedo racemosa, a cutaneous sign of decompression sickness *J. Valentin, C. Labuna, E. Amazon and N. Olivier*
- Clinical trial
- 1076 The role of new inflammatory markers in determining disease activation and severity in patients with hidradenitis suppurativa *E. Öksüm Solak, B. Baran Ketencioglu, S. L. Cinar, D. Kartal and M. Borlu*
- Pharmacology and therapeutics
- 1082 Comparing the effects of isotretinoin 20mg versus azithromycin 500mg in the management of acne vulgaris: a randomized clinical trial *U. D. M. Rajar, A. A. Mashhood, A. Fahim, N. Kazi and M. Hanif*
- 1088 JAK inhibitors: a novel, safe, and efficacious therapy for pyoderma gangrenosum *L. G. M. Castro*
- Commentary
- 1094 Strategies for equity-driven practice advancement in dermatology *C. Handfield, K. Anderson and S. Wyles*
- Correspondence
- 1096 Traumatic tattoo as a clinical and dermoscopic mimicker of pigmented basal cell carcinoma and other tumors: a series of three cases *C. Navarrete-Dechent, A. Abarzúa-Araya, S. Andreani and M. A. Villaseca*
- 1098 Pityriasis rotunda *G. Li, Z. Xu, L. Huang and R. Xue*
- 1101 Corrigendum
- 1102 Erratum
- Correspondence-Online Only
- e423 Incidence of Merkel cell carcinoma in the Republic of Ireland (1994–2019) *C. Doyle, A. Brennan, A. Wolinska, L. Murphy, S. O'Mahoney, M. C. Blasco, M. Andrawis, P. Beatty, O. McFeely and A. M. Tobin*
- e424 Dupilumab-induced psoriasis in the setting of pembrolizumab therapy: an analysis of cytokine expression *M. Ahmad, M. J. Murphy, W. Damsky and J. Leventhal*
- e426 A cross-sectional analysis of Google images of mycosis fungoides: is dark skin adequately represented? *C. V. Alexander-Savino and E. V. Bowers*
- e427 Different human leukocyte antigen allele related to toxic epidermal necrolysis following lenalidomide treatment for multiple myeloma in a severely allergic family *Z. Chen, Y. Li, G. Chen, K. Du and J. Zhang*
- e430 The association of atopic dermatitis and chronic rhinosinusitis in adults: a cross-sectional study using the All of Us research program *C. Hodelin, R. Fan, W. Damsky and J. M. Cohen*
- e431 Autosomal dominant allopapuloid epidermolysis bullosa pruriginosa *P. Zhao, C. Remington and R. H. Flowers*
- e433 Cutaneous paecilomyces infection in an immunocompetent patient *P. A. Dsouza, R. C. Monteiro, J. Martis and S. Fernandes*
- e436 A systematic review of hair loss as a consequence of COVID-19 infection *Y. Abushukur, M. Mansour, R. Rehman, A. Rida and S. Daveluy*
- e439 Improvement of refractory pyoderma gangrenosum with adjunctive maggot debridement therapy *L. Dozier, M. Ceresnie, J. Habasby and F. Kerdel*
- e441 Clinical and immunological phenotype switch to prurigo nodularis in a patient receiving ixekizumab for treating psoriasis: a case report *T. Liu, Y. Chu, S. Li, H. Fang and J. Qiao*
- e443 Annual trends in Medicare part D prescription claims for calcipotriene/betamethasone dipropionate foam for psoriasis 2016–2020 *B. Smith, A. Oulee, S. Devjani, M. R. Collier, A. Egeberg and J. J. Wu*
- e446 Dermatologists' use of compounding pharmacies and knowledge of associated regulations *N. Ly, J. Ziegman, M. Collins and A. M. Korman*
- e447 An innovative reconstruction approach for scalp dermatofibrosarcoma protuberans using acellular dermal matrix (ADM): experience of a third referral center and long-term results *V. Cazzato, V. Ramella, C. Conforti, L. Grezar, N. Di Meo, I. Zalaudek and G. Papa*
- e449 A retrospective review of treatment response of palmoplantar psoriasis *A. L. Hecht, N. Milani-Nejad, B. N. Bubic and J. A. Kaffenberger*
- e450 Cross-sectional evaluation of Spanish-language care at academic dermatology clinics *N. Islam, A. M. Korman, J. Trinidad and J. A. Kaffenberger*
- e452 Gut microbiome diversity and serum levels of lipopolysaccharide-bound protein (LPB) in men with psoriasis under different systemic therapies *M. R. de Ré Lai, T. C. F. Polo, L. D. B. Miot, G. F. C. Bento, M. G. da Silva and H. A. Miot*
- e454 Wells syndrome successfully treated with dupilumab *R. M. Kirven and A. N. Plotner*
- e455 Primary cutaneous melanoma in Asian Americans: a retrospective cohort analysis of 1,179 cases from the National Cancer Database *J. M. Fernandez, K. R. Kwan, E. M. Mata, B. N. Bubic, M. J. Whitley, A. Sutton and A. Wysong*
- e458 A congenital folliculosebaceous cystic hamartoma on the nipple and areola *L. Blicharz, I. Colmenero, A. Hernández-Martín and A. Torrolo*
- e460 Cutaneous larva migrans: the unexpected souvenir *S. J. Shareef and K. Ashack*
- e461 Availability of a validated cutaneous lichen planus disease index: a systematic review *C. M. Morken, P. K. Bhullar, B. W. Boudreaux, F. Xie, N. Zhang, J. S. Lehman, M. R. Pittelkow and A. R. Mangold*
- e463 Sun-protective behaviors in military veterans *K. Yang, K. Oh and M. Mahalingam*
- e465 Lend me your ears: improving informed consent in dermatology *A.-K. Somani and A. H. Abdulhak*
- e466 Low-dose botulinum toxin improves disease activity and quality of life in epidermolysis bullosa simplex *M. Melendez, L. Osborn and E. Bowers*
- e468 Prevalence and pattern of dermatitis among Kathakali artists of Kerala, South India *S. Gayathri, K. Ajithkumar and S. N. Sree Kumar*

## Correspondence

### Improvement of refractory pyoderma gangrenosum with adjunctive maggot debridement therapy

Dear Editor,

Pyoderma gangrenosum (PG), a painful non-infectious ulcerative autoinflammatory neutrophilic dermatosis, is notoriously challenging to manage. Patients with PG often have a high burden of morbidity due to delayed wound healing, scarring, and adverse effects from prolonged immunosuppressive treatment.<sup>1</sup> Although high-level evidence is limited, first-line therapy includes early topical and systemic immunosuppressive therapy with supportive wound care.<sup>1</sup> However, the efficacy of standard therapies was observed to be only 47% at 6 months, and recurrence occurred in 28–30% of healed lesions.<sup>2</sup> As pathergy is a feature of PG, surgical debridement is usually avoided due to the risk of disease worsening. In this article, we report a case of refractory PG in a patient with pemphigus vulgaris (PV) that improved with maggot debridement therapy (MDT).

A 65-year-old female presented with rapidly worsening ulcerative lesions on her left lower extremity that began as a cluster of small, dark red blisters following a flare of biopsy-proven PV, despite reported compliance to prednisone and topical corticosteroid. Symptoms of sharp pain and claudication were associated with her lesion. Physical examination revealed a red, denuded plaque with peripheral sloughed skin on her left lower extremity. Histological examination revealed nonspecific changes of slight spongiotic dermatitis with a sparse mixed inflammatory infiltrate and a background of stasis changes. Wound culture of her left ankle grew *Pseudomonas aeruginosa*, and antibiotics were given in concordance with sensitivities. A diagnosis of PG was established.

The patient had tried outpatient systemic prednisone dose (20–50 mg/day), mycophenolate mofetil (1,500 mg/twice daily), high-potency topical corticosteroids, and topical tacrolimus, but her unresponsiveness ultimately led to inpatient management with subsequent readmission. The ulceration on her leg now was larger and crusted with an undermined border and extensive necrotic tissue (Figure 1a). Despite increased mycophenolate mofetil dose (2000 mg/twice daily) and Solu-Medrol (40 mg/8 h), her PG still did not begin to heal.

After obtaining written informed consent from the patient, we performed MDT. After 72 consecutive hours, there was a substantial reduction in the amount of necrotic tissue present (Figure 1b). Two days later, a second session of MDT further reduced the necrotic debris (Figure 1c). The patient was discharged the following day on mycophenolate mofetil (2,000 mg/twice daily), prednisone (20 mg/daily), and topical tacrolimus (0.03%/twice daily).

After one month, the ulceration showed marked improvement with granulation tissue formation (Figure 2a), and she began a 14-month prednisone taper. Ten months after the procedure, her dose of mycophenolate mofetil was reduced (1,500 mg/twice daily). The wound progressively re-epithelialized with almost complete resolution after 11 months (Figure 2b). We did not observe any signs of recurrence.

MDT likely acted through its multiple effects on wound healing in this patient with refractory PG. Induction of potential pathergy was minimized by using MDT to avoid blunt trauma. The pathergy phenomenon in pyoderma gangrenosum may occur at much lower rates in adult cases than in pediatric cases, and its presence was found in approximately 62% and 16.3% of cases, respectively.<sup>3,4</sup> As maggots only consume




**Figure 1** Clinical appearances before (a) and following the first (b) and second (c) maggot debridement biosurgery sessions



**Figure 2** Progression of wound healing at 1-month (a) and 11-months (b) after maggot debridement biosurgery

necrotic tissue that is dissolved using specialized salivary enzymes, the risk of pathergy is minimal, and the healing potential of the wound is improved.<sup>5</sup> Granulation tissue growth is also promoted by maggot mechanical stimulation and excretions that contain calcium carbonate, urea, and allantoin.<sup>5</sup> While evidence is limited, maggot secretions may inhibit excessive inflammation and facilitate wound healing by downregulating C3a/C5a-mediated neutrophil activation.<sup>6</sup> While there is some data in other disease processes on the immunomodulatory contributions of maggot extracts through upregulation of Foxp3, further research is necessary to justify how maggots may stop the autoinflammation in PG.<sup>7</sup> Larger scale studies are warranted to further confirm the therapeutic efficacy of MDT in PG.

Lauren Dozier<sup>1</sup>, DO  
 Marissa Ceresnie<sup>2\*</sup>, DO   
 Jacqueline Habashy<sup>1</sup>, DO  
 Francisco Kerdel<sup>1,3,4</sup>, MD

<sup>1</sup>Department of Dermatology, Larkin Community Hospital/  
 Lake Erie College of Osteopathic Medicine Graduate Medical  
 Education, South Miami, FL, USA

<sup>2</sup>Department of Dermatology, Henry Ford Hospital, Detroit,  
 MI, USA

<sup>3</sup>Department of Dermatology, Florida International University,  
 Miami, FL, USA

<sup>4</sup>Florida Academic Dermatology Center, Coral Gables,  
 FL, USA

\*E-mail: marissa.ceresnie@gmail.com

Conflict of interest: None.

Funding source: None.

doi: 10.1111/ijd.16531

### References

- Alavi A, French LE, Davis MD, Brassard A, Kirsner RS. Pyoderma gangrenosum: an update on pathophysiology, diagnosis and treatment. *Am J Clin Dermatol.* 2017;**18**: 355–72.
- Ormerod AD, Thomas KS, Craig FE, Mitchell E, Greenlaw N, Norrie J, et al. Comparison of the two most commonly used treatments for pyoderma gangrenosum: results of the STOP GAP randomised controlled trial. *BMJ.* 2015;**350**: h2958.
- Kridin K, Cohen AD, Amber KT. Underlying systemic diseases in pyoderma gangrenosum: a systematic review and meta-analysis. *Am J Clin Dermatol.* 2018;**19**:479–87.
- Schoch JJ, Tolkachjov SN, Cappel JA, Gibson LE, Davis DM. Pediatric pyoderma gangrenosum: a retrospective review of clinical features, etiologic associations, and treatment. *Pediatr Dermatol.* 2017;**34**:39–45.
- Hunter S, Langemo D, Thompson P, Hanson D, Anderson J. Maggot therapy for wound management. *Adv Skin Wound Care.* 2009;**22**:25–7.
- Tamura T, Cazander G, Rooijackers SH, Trouw LA, Nibbering PH. Excretions/secretions from medicinal larvae (*Lucilia sericata*) inhibit complement activation by two mechanisms. *Wound Repair Regen.* 2017;**25**:41–50.
- Liu L, Deng YQ, Jiao WE, Qiao YL, Tao ZZ, Wang Y, et al. Maggot extracts promote regulatory T cell differentiation by upregulating Foxp3 in allergic rhinitis. *Am J Transl Res.* 2021;**13**:13540–54.